






© DEN HARTOG INDUSTRIES, INC.

Copyright. All information furnished within this document, electronic file or design correspondence is the property of Den Hartog Industries, Inc. and shall not be used, disclosed to others or copied without the expressed written consent of Den Hartog Industries, Inc.

KEY	PART NUMBER	DESCRIPTION	QTY.
1	12538-1	PULLEY SPACER	2
2	12538-2	CORNER PLATE	1
3	12538-3	GUSSET	1
4	12538-4	ADJUSTMENT PLATE	1

12538

A



				DRAWN / DATE ADH 3/10/08	MATERIAL 1.) MILD STEEL. S-1875
A	TABLE ADDED TO PRINT	ADH 5/3/17	3383	APPRD. / DATE DHI 3/14/08	
REV	DESCRIPTION	BY / DATE	CCN		
ALL DIMENSIONS ARE IN DECIMAL INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED		THIRD ANGLE PROJECTION ANSI 14.5M		SHOT WEIGHT:	NOTES:
POLYETHYLENE		METAL DECIMAL ± .125" FRACTION ± 1/4" ANGLE ± 1°		SHIPPING WEIGHT:	
±1% @ 68°F				FINISH: POWDER COAT, WHITE ET-14.94	





Den Hartog
INDUSTRIES, INC.


Ace Roto-Mold Injection Molding Blow Molding Sowjoy

4010 HOSPERS DRIVE S. BOX 425, HOSPERS, IOWA 51238-0425



DESCRIPTION CURTAIN CORNER BRACKET	
SCALE N.S.	PART NO. 12538





				DRAWN / DATE ADH 2/20/12	MATERIAL 1.) SHEET, 3/16" MILD STEEL	 Den Hartog INDUSTRIES, INC. Ace Roto-Mold Injection Molding Blow Molding Sowjoy 4010 HOSPERS DRIVE S. BOX 425, HOSPERS, IOWA 51238-0425
				APPRD. / DATE KGJ 5/3/17		
REV	DESCRIPTION	BY / DATE	CCN			
ALL DIMENSIONS ARE IN DECIMAL INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED		THIRD ANGLE PROJECTION ANSI 14.5M		SHOT WEIGHT:	NOTES:	
POLYETHYLENE		METAL DECIMAL ± .125" FRACTION ± 1/4" ANGLE ± 1°		SHIPPING WEIGHT:		
±1% @ 68°F				FINISH: DEBURR		
				SCALE N.S.	PART NO. 12538-1	
DESCRIPTION CURTAIN CORNER BRACKET- PULLEY SPACER						





FLAT PATTERN




				DRAWN / DATE ADH 2/20/12	MATERIAL 1.) SHEET, 3/16" MILD STEEL	 Den Hartog INDUSTRIES, INC. Ace Roto-Mold Injection Molding Blow Molding Sowjoy 4010 HOSPERS DRIVE S. BOX 425, HOSPERS, IOWA 51238-0425		
				APPRD. / DATE KGJ 5/3/17				
REV	DESCRIPTION	BY / DATE	CCN					
ALL DIMENSIONS ARE IN DECIMAL INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED		THIRD ANGLE PROJECTION ANSI 14.5M		SHOT WEIGHT:	NOTES:	DESCRIPTION CURTAIN CORNER BRACKET- CORNER PLATE		
POLYETHYLENE		METAL		SHIPPING WEIGHT:				
±1% @ 68°F		DECIMAL ± .125" FRACTION ± 1/4" ANGLE ± 1°		FINISH: DEBURR				
						SCALE N.S.	PART NO. 12538-2	



				DRAWN / DATE ADH 2/21/12	MATERIAL 1.) SHEET, 3/16" MILD STEEL	 Den Hartog INDUSTRIES, INC. Ace Roto-Mold Injection Molding Blow Molding Sowjoy 4010 HOSPERS DRIVE S. BOX 425, HOSPERS, IOWA 51238-0425	
				APPRD. / DATE KGJ 5/3/17			
REV	DESCRIPTION	BY / DATE	CCN				
ALL DIMENSIONS ARE IN DECIMAL INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED		THIRD ANGLE PROJECTION ANSI 14.5M		SHOT WEIGHT:	NOTES:	DESCRIPTION CURTAIN CORNER BRACKET-GUSSET	
POLYETHYLENE	METAL DECIMAL $\pm .125"$ FRACTION $\pm 1/4"$ ANGLE $\pm 1^\circ$			SHIPPING WEIGHT:		SCALE N.S.	PART NO. 12538-3
$\pm 1\%$ @ 68°F				FINISH: DEBURR			








				DRAWN / DATE	MATERIAL	 Den Hartog INDUSTRIES, INC. Ace Roto-Mold Injection Molding Blow Molding Sowjoy 4010 HOSPERS DRIVE S. BOX 425, HOSPERS, IOWA 51238-0425	
				ADH 2/21/12			
				APPRD. / DATE			
REV	DESCRIPTION	BY / DATE	CCN	KGJ 5/3/17			
ALL DIMENSIONS ARE IN DECIMAL INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED		THIRD ANGLE PROJECTION ANSI 14.5M		SHOT WEIGHT:	NOTES:	DESCRIPTION CURTAIN CORNER BRACKET-ADJUSTMENT PLATE	
POLYETHYLENE		METAL		SHIPPING WEIGHT:			
±1% @ 68°F		DECIMAL ± .125" FRACTION ± 1/4" ANGLE ± 1°		FINISH: DEBURR			
				SCALE N.S.			PART NO. 12538-4


© DEN HARTOG INDUSTRIES, INC.

Copyright. All information furnished within this document, electronic file or design correspondence is the property of Den Hartog Industries, Inc. and shall not be used, disclosed to others or copied without the expressed written consent of Den Hartog Industries, Inc.

KEY	PART NUMBER	DESCRIPTION	QTY.
1	12538	BRACKET, CURTAIN CORNER	1
2	10985	PULLEY, CAST 3-1/2"	1
3	13164	BOLT, U 5/16" X 1-1/2" X 2-1/2"	1
4	10280	NUT, 5/16" NYLOK ZINC	2
5	10320	WASHER, 5/16" FLAT ZINC	2

13575



				DRAWN / DATE ADH 3/10/08	MATERIAL
				APPRD. / DATE	
REV	DESCRIPTION	BY / DATE	CCN	KGJ 5/3/17	
ALL DIMENSIONS ARE IN DECIMAL INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED		THIRD ANGLE PROJECTION ANSI 14.5M		SHOT WEIGHT:	NOTES:
POLYETHYLENE				SHIPPING WEIGHT:	
±1% @ 68°F				FINISH:	
METAL DECIMAL ± .125" FRACTION ± 1/4" ANGLE ± 1°					



Den Hartog
INDUSTRIES, INC.

Ace Roto-Mold Injection Molding Blow Molding Sowjoy

4010 HOSPERS DRIVE S. BOX 425, HOSPERS, IOWA 51238-0425

DESCRIPTION		CURTAIN CORNER BRACKET ASSEMBLY
SCALE	N.S.	PART NO. 13575