


Copyright. All information furnished within this document, electronic file or design correspondence is the property of Den Hartog Industries, Inc. and shall not be used, disclosed to others or copied without the expressed written consent of Den Hartog Industries, Inc.



STANDARD FITTING LOCATION  
2 INCH STANDARD  
ONE EACH TANK

CAUTION: TWO COMPARTMENT TANKS MUST BE PLUMBED TO DRAIN EQUALLY. DO NOT USE TANKS AS INDIVIDUAL STORAGE COMPARTMENTS.

E	BAFFLE FEATURES REMOVED. DRAWING TEMPLATE UPDATED.	ADH 7/14/16	3260
D	SKID UPDATED	ADH 2/25/08	1604
C	CHANGE SUMP	DHJ 11/2/07	
B	CHANGE TO FM PART #	11/6/06	
A	ADD CAUTION NOTE	11/2/06	
REV	DESCRIPTION	BY / DATE	CCN

DRAWN / DATE	MATERIAL
REH 03/02/01	SEE COMPONENTS
APPRD. / DATE	
REH 03/02/01	




**Den Hartog**  
INDUSTRIES, INC.

Ace Roto-Mold Injection Molding Blow Molding Sowjoy

4010 HOSPERS DRIVE S. BOX 425, HOSPERS, IOWA 51238-0425

ALL DIMENSIONS ARE IN DECIMAL INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED	
POLYETHYLENE ±1% @ 68°F	METAL DECIMAL ± .125" FRACTION ± 1/4" ANGLE ± 1°





SHOT WEIGHT:	NOTES:
SHIPPING WEIGHT: 2020.00 LBS	1.) AVAILABLE IN NATURAL OR YELLOW COLOR
FINISH:	

DESCRIPTION	2600 GAL. SECTIONAL TANK WITH SUMP	
SCALE	N.S.	PART NO. FM2600-2S

Copyright. All information furnished within this document, electronic file or design correspondence is the property of Den Hartog Industries, Inc. and shall not be used, disclosed to others or copied without the expressed written consent of Den Hartog Industries, Inc.

CAUTION: TWO COMPARTMENT TANKS MUST BE PLUMBED TO DRAIN EQUALLY. DO NOT USE TANKS AS INDIVIDUAL STORAGE COMPARTMENTS.



TANK REQUIRED BETWEEN TANK SECTIONS

NOTE: 3 HOOPS ARE REQUIRED ON THIS TANK

F	BAFFLE ENGAGEMENT POINTS ADDED.	ADH 4/17/17	3378
E	19016 WAS 19061 BAFFLE FEATURES AND SYPHON TUBE REMOVED. FITTING MOVED INTO SUMP.	ADH 6/29/16	3260
D	SYPHON TUBE NOTE ADDED	ADH 10/14/11	2212
C	ADD LABELS, PART # WAS FM1295-62FS	DHJ 7/13/09	1857
B	REVISE SUMP. WAS 8x8	DHJ 3/29/06	
A	CHANGE PART NUMBER	3/29/06	
REV	DESCRIPTION	BY / DATE	CCN

DRAWN / DATE	MATERIAL
DHJ 3/02/01	HDPE
APPRD. / DATE	
REH 3/02/01	

SHOT WEIGHT:	425.00 LBS	NOTES: 1.) AVAILABLE IN NATURAL OR YELLOW COLOR 2.) NOM. WALL= 0.400
SHIPPING WEIGHT:	427.00 LBS	
FINISH:		




**Den Hartog**  
INDUSTRIES, INC.

Ace Roto-Mold Injection Molding Blow Molding Sowjoy

4010 HOSPERS DRIVE S. BOX 425, HOSPERS, IOWA 51238-0425


DESCRIPTION 1295 GAL. SECTIONAL TANK, WITH SUMP	
SCALE N.S.	PART NO. FMA1295-62FW

ALL DIMENSIONS ARE IN DECIMAL INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED	
POLYETHYLENE ±1% @ 68°F	METAL DECIMAL ± .125" FRACTION ± 1/4" ANGLE ± 1°





Copyright. All information furnished within this document, electronic file or design correspondence is the property of Den Hartog Industries, Inc. and shall not be used, disclosed to others or copied without the expressed written consent of Den Hartog Industries, Inc.

CAUTION: TWO COMPARTMENT TANKS MUST BE PLUMBED TO DRAIN EQUALLY. DO NOT USE TANKS AS INDIVIDUAL STORAGE COMPARTMENTS.



GALLON INDICATORS 2 PLACES IN 50 GALLON INCREMENTS




NOTE: 3 HOOPS ARE REQUIRED ON THIS TANK

TANK REQUIRED BETWEEN TANK SECTIONS

F	BAFFLE ENGAGEMENT POINTS ADDED.	ADH 4/17/17	3378
E	19016 WAS 19061 BAFFLE FEATURES AND SYPHON TUBE REMOVED. FITTING MOVED INTO SUMP.	ADH 6/29/16	3260
D	SYPHON TUBE NOTE ADDED	ADH 10/14/11	2212
C	ADD LABELS, PART # WAS FM1295-62FS	DHJ 7/13/09	1857
B	REVISE SUMP. WAS 8x8	DHJ 3/29/06	
A	CHANGE PART NUMBER	3/29/06	
REV	DESCRIPTION	BY / DATE	CCN

DRAWN / DATE	MATERIAL
DHJ 3/02/01	HDPE
APPRD. / DATE	
REH 3/02/01	

ALL DIMENSIONS ARE IN DECIMAL INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED  
 POLYETHYLENE  
 ±1% @ 68°F



SHOT WEIGHT:	425.00 LBS
SHIPPING WEIGHT:	427.00 LBS
FINISH:	

NOTES:  
 1.) AVAILABLE IN NATURAL OR YELLOW COLOR  
 2.) NOM. WALL = 0.400

## Den Hartog

INDUSTRIES, INC.

Ace Roto-Mold Injection Molding Blow Molding Sowjoy

4010 HOSPERS DRIVE S. BOX 425, HOSPERS, IOWA 51238-0425


DESCRIPTION		1295 GAL. SECTIONAL TANK, WITH SUMP	
SCALE	N.S.	PART NO.	FMB1295-62FW

Copyright. All information furnished within this document, electronic file or design correspondence is the property of Den Hartog Industries, Inc. and shall not be used, disclosed to others or copied without the expressed written consent of Den Hartog Industries, Inc.



USE SHORT SIDE BETWEEN BAFFLES ON ALL TANKS

KEY	PART NUMBER	DESCRIPTION	QTY.
1	12481	BAFFLE	2
2	12482-BM	BAFFLE STRUT	1
3	12480	BAFFLE TIE	1
4	12469	BOLT, 3/8"-16 X 3-1/2" SS	2
5	11094	WASHER, 3/8" X 1" OD FLAT SS	4
6	10223	NUT, 3/8" STAINLESS NYLOK	2



(section view of tank shown)

**Installation Instructions**

1. Insert Baffles, Tie and Strut through lid opening.
2. It will be necessary to enter tank for assembly.  
CAUTION: NEVER ENTER A TANK EXPOSED TO CHEMICALS WITHOUT THE PROPER SAFETY EQUIPMENT.
3. Place Bottom Tie into middle leg bays.
4. Engage Baffles into Tie slots.
5. Position Strut between Baffles.
6. Fasten Strut to Baffles with hardware as shown.
7. IMPORTANT: 3 Hoops must be installed on this tank.
8. Periodically check and retighten all hoops as necessary.

				DRAWN / DATE ADH 4/18/17	MATERIAL
				APPROD. / DATE REH 4/19/17	
REV	DESCRIPTION	BY / DATE	CCN	SHOT WEIGHT:	NOTES:
				SHIPPING WEIGHT:	
				FINISH:	
ALL DIMENSIONS ARE IN DECIMAL INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED		THIRD ANGLE PROJECTION ANSI 14.5M			
POLYETHYLENE ±1% @ 68°F		METAL DECIMAL ± .125" FRACTION ± 1/4" ANGLE ± 1°			



**Den Hartog**  
INDUSTRIES, INC.

Ace Roto-Mold Injection Molding Blow Molding Sowjoy

4010 HOSPERS DRIVE S. BOX 425, HOSPERS, IOWA 51238-0425

DESCRIPTION	1295 & 1300 BAFFLE KIT INSTALLATION INSTRUCTIONS	
SCALE	N.S.	PART NO. FM-FS-1295-1300 BAF